#### (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

### (19) World Intellectual Property Organization

International Bureau



## I 18010 TAKADA IL BURUD KAN BU<del>ru baharan 140 tah b</del>an baharan 1801 taha dan baka 180 buruh 1801 da ing bahar 1801 da ing

#### (43) International Publication Date 10 March 2005 (10.03.2005)

#### **PCT**

# (10) International Publication Number WO 2005/021702 A1

(51) International Patent Classification<sup>7</sup>:

C12G 3/12

(21) International Application Number:

PCT/IB2004/002754

(22) International Filing Date: 26 August 2004 (26.08.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: 2003-307822

29 August 2003 (29.08.2003) JJ

(71) Applicant (for all designated States except US): YAM-ATOICHI BREWING COMPANY [JP/JP]; 2144, Shimobayashi-machi, Hitoyoshi-shi, Kumamoto 8680083 (JP).

(72) Inventor; and


(75) Inventor/Applicant (for US only): SHIMODA, Takeshi

[JP/JP]; c/o Yamatoichi Brewing Company, 2144, Shimobayashi-machi, Hitoyoshi-shi, Kumamoto 8680083 (JP).

- (74) Agent: KYOSEI INTERNATIONAL PATENT OF-FICE; Toyama Bldg., 8-14, Akasaka 3-chome, Minato-ku, Tokyo 1070052 (JP).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH,

[Continued on next page]

(54) Title: METHOD OF MANUFACTURING SHOCHU



(57) Abstract: This invention's method of manufacturing shochu consists of the following steps: (1) cultivating koji mold (Aspergillus oryzae) upon and into steamed rice, (2) making starter mash by fermenting a mixture of the koji mold, yeast seeds, and water, (3) making mash by fermenting a mixture of the starter mash, steamed vegetable(s), and water containing 300 mg/kg-1,000 mg/kg of hydrogen carbonate ions, (4) filtrating said mash in order to separate its solid and liquid parts, and (5) distilling said liquid. Milk can be used in the fermentation process.

WO 2005/021702 A1



GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.